

















BSP - NPT - ORFS - JIC ADAPTORS


Product	Page	Product	Page
BSP ADAPTORS		NPT ADAPTORS	450-453
RA - BSP Male	438	719 - NPT Cross Female	
RA - BSP-Metric Male	439	729 - NPT Male/Female	
MF - BSP Fixed Female	440	730 - NPT Male	
KM - Nut for Bulkhead	441	732 - NPT Fixed Female	
Dowty Bonded seal, BSP-Metric	448	733 - NPT Blanking Plug	
703 - BSP Blanking Cap	442	735 - NPT Tee Female	
704 -BSP 60° Blanking Plug	442	734 - NPT 90° Female	
707 - BSP Female swivel	442	736 - 90° Male (NPT)	
708 - BSP Female Swivel/Male	443	737 - NPT 90° Male-Female	
714 - Ajustable 90°BSP male	444	738 - NPT 45° Male-Female	
715 - 90°Compact BSP female swivel	447	739 - NPT 45° Female	
716 - 90° BSP Bend Female	447		
721 - BSP 90° Female Fixed	445	ORFS ADAPTORS	454-459
722 - BSP male / NPT male	448	G -O.R.F.S Straight Union (UNF)	
723 - BSP-BSPT Male	438	G -O.R.F.S Straight Union (UNF)	
724 - BSP Male/Female	440	T - O.R.F.S Union Tee (UNF)	
725 - BSP Male/Female	440	GE - O.R.F.S Male Connector (BSP)	
726 - BSP 60°/ JIC male	448	GE - O.R.F.S Male Connector Metric	
727 - BSP Bulkhead	441	GE - O.R.F.S Male Connector (UNF)	
728 - BSP 60°/ NPT female	443	SV - O.R.F.S Bulkhead Union (UNF)	
731 - BSP 90°Compact Swivel	443	EW - O.R.F.S 90° Swivel Nut Elbow (UNF)	
735 - BSP Tee Female Fixed	446	ET - O.R.F.S Swivel Nut Branch Tee (UNF)	
741 - BSP/BSPT 90°	447	EG - O.R.F.S Swivel Nut Male Connector (BSPP)	
743 - BSP45° Female swivel/Male	443	BUZ - O.R.F.S Fitting Body Cap (UNF)	
744 - BSP 90° Female swivel/Male	444	VSTI - O.R.F.S Tube Plug (UNF)	
745 - BSP Tee 60°	447	M - O.R.F.S Nut (UNF)	
746 - BSP Tee Swivel	444	Sleeve -O.R.F.S Sleeve	
747 - BSP Tee Male/Swivel/Male	445	O-Ring - O.R.F.S O-ring	
748 - BSP Tee Male/Male/Swivel	447		
		JIC ADAPTORS	460-477
		Index - overview	438

INDEX JIC ADAPTORS SAE J514 - ISO 8434-2

 1010 - Straight body Page 458	 1210-Tee body Page 458	 1110-Elbow body Page 458	 1030-Bulkhead tread Page 458 1032-Bulkhead weld Page 467	 1130-Elbow 90° Swivel Page 459
 1420-Elbow 45° Swivel Page 459	 1240-Swivel branch tee Page 459	 1230-Swivel run tee Page 460	 1120-Bulkhead elbow Page 460	 1310-Cross body Page 460
 6010-BSP male Page 461	 1510-UNF Male Page 461	 1040-NPT Male Page 462	 4540-MM male Page 462	 6020-BSP female Page 463
 1050-NPT female Page 463	 1020-JIC female Swivel Page 463	 6030-Swivel x BSP male Page 464	 1560-Swivel x UNF male Page 464	 4360-Swivel x Metric male Page 465
 1080- NPT Male Page 465	 6310-BSP 90°Adjustable Page 466	 6710-BSP 45°Adjustable Page 467	 1610-UNF 90°Adjustable Page 467	 4310-MM 90° Adjustable Page 467
 1140-NPT 90° Ellbow Page 468	 1260-NPT Branch Tee Page 468	 1250-NPT Run Tee Page 469	 1430-NPT male 45° Page 469	 6810-BSP Adjustable run tee Page 470
 6820-BSP Adjust. branch tee Page 470	 4820-MM Adjust. branch tee Page 471	 1820-UNF Adjust. branch tee Page 474	 1810-UNF Adjustable run tee Page 472	 4810-MM Adjustable run tee Page 472
 5020-JIC Reducer Male-Female Page 473	 800- Union 1/4"BSP female Page 473	 1630-Gauge connector Page 474	 900-Cap female Page 474	 5010-Plug male Page 474
  500-Sleeve 200-Nut Page 475	 Body Sleeve Nut Seamless pipe			

BSP ADAPTORS


RA-



BSP/BSP

Part No	Thread conn.	
	A	B
RA-1/8-1/8	1/8	1/8
RA-1/4-1/8	1/4	1/8
RA- 1/4-1/4	1/4	1/4
RA- 3/8-1/8	3/8	1/8
RA- 3/8-1/4	3/8	1/4
RA- 3/8-3/8	3/8	3/8
RA- 1/2-1/8	1/2	1/8
RA- 1/2-1/4	1/2	1/4
RA- 1/2-3/8	1/2	3/8
RA- 1/2-1/2	1/2	1/2
RA- 5/8-5/8	5/8	5/8
RA- 5/8-1/2	5/8	1/2
RA- 3/4-3/8	3/4	3/8
RA- 3/4-1/2	3/4	1/2
RA- 3/4-3/4	3/4	3/4
RA-1-1/2	1	1/2
RA-1-3/4	1	3/4
RA-1-1	1	1
RA-1 1/4-3/4	1 1/4	3/4
RA-1 1/4-1	1 1/4	1
RA-1 1/4-1 1/4	1 1/4	1 1/4
RA-1 1/2-1	1 1/2	1
RA-1 1/2-1 1/4	1 1/2	1 1/4
RA-1 1/2-1 1/2	1 1/2	1 1/2
RA-2-1 1/2	2	1 1/2
RA- 2-2	2	2

723-



BSP/BSPT

Part No	Thread conn.	
	A	B
723-02-02	1/8	1/8
723-04-04	1/4	1/4
723-06-06	3/8	3/8
723-08-08	1/2	1/2
723-10-10	5/8	5/8
723-12-12	3/4	3/4
723-16-16	1	1
723-20-20	1 1/4	1 1/4
723-24-24	1 1/2	1 1/2
723-32-32	2	2


Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

BSP ADAPTORS

RA-

BSP/METRIC




Part No	Thread conn.	
	A	B
RA 1/8x M10x1.0	1/8	M10X1.0
RA 1/4x M10x1.0	1/4	M10X1.0
RA 1/4x M12x1.5	1/4	M12X1.5
RA 1/4x M14x1.5	1/4	M14X1.5
RA 1/4x M16x1.5	1/4	M16X1.5
RA 1/4x M18x1.5	1/4	M18X1.5
RA 1/4x M20x1.5	1/4	M20X1.5
RA 1/4x M22x1.5	1/4	M22X1.5
RA 3/8x M10x1.0	3/8	M10X1.0
RA 3/8x M12x1.5	3/8	M12X1.5
RA 3/8x M14x1.5	3/8	M14X1.5
RA 3/8x M16x1.5	3/8	M16X1.5
RA 3/8x M18x1.5	3/8	M18X1.5
RA 3/8x M22x1.5	3/8	M20X1.5
RA 1/2xM12x1.5	1/2	M12X1.5
RA 1/2xM14x1.5	1/2	M14X1.5
RA 1/2xM16x1.5	1/2	M16X1.5
RA 1/2xM18x1.5	1/2	M18X1.5
RA 1/2xM20x1.5	1/2	M20X1.5
RA 1/2xM22x1.5	1/2	M22X1.5
RA 1/2xM24x1.5	1/2	M24X1.5
RA 1/2xM26x1.5	1/2	M26X1.5
RA 3/4XM18x1.5	3/4	M18X1.5
RA 3/4XM20x1.5	3/4	M20X1.5
RA 3/4XM22x1.5	3/4	M22X1.5
RA 3/4XM26x1.5	3/4	M26X1.5
RA 1XM22x1.5	1	M22X1.5
RA 1XM26x1.5	1	M26X1.5
RA 1XM30x1.5	1	M30X1.5
RA 1XM38x1.5	1	M38X1.5
RA 1.1/4XM38x1.5	1.1/4	M30X1.5
RA 1.1/4XM38x1.5	1.1/4	M38X1.5

BSP ADAPTORS

Male/Female BSP/BSP

Part No	Thread conn.	
	A	B
724-02-02	1/8	1/8
724-04-04	1/4	1/4
724-06-06	3/8	3/8
724-08-08	1/2	1/2
724-10-10	5/8	5/8
724-12-12	3/4	3/4
724-16-16	1	1
724-20-20	1 1/4	1 1/4
724-24-24	1 1/2	1 1/2
724-32-32	2	2


724-



Male/Female BSP/BSP

Part No	Thread conn.	
	A	B
725-02-04	1/8	1/4
725-04-02	1/4	1/8
725-04-06	1/4	3/8
725-04-08	1/4	1/2
725-06-04	3/8	1/4
725-06-08	3/8	1/2
725-08-06	1/2	3/8
725-08-10	1/2	5/8
725-08-12	1/2	3/4
725-10-08	5/8	1/2
725-10-12	5/8	3/4
725-12-08	3/4	1/2
725-12-16	3/4	1
725-16-12	1	3/4
725-16-20	1	1 1/4
725-20-16	1 1/4	1
725-20-24	1 1/4	1 1/2
725-24-20	1 1/2	1 1/4
725-24-32	1 1/2	2
725-32-24	2	1 1/2

725-




Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

BSP ADAPTORS


MF-



Fixed Female BSP

Part No	Thread conn.	
	A	B
MF 1/8x1/8	1/8	1/8
MF 1/4x1/8	1/4	1/8
MF 1/4x1/4	1/4	1/4
MF 3/8x1/4	3/8	1/4
MF 1/2x1/4	1/2	1/4
MF 3/8x3/8	3/8	3/8
MF 1/2x3/8	1/2	3/8
MF 3/4x3/8	3/4	3/8
MF 1/2x1/2	1/2	1/2
MF 3/4x1/2	3/4	1/2
MF 3/4x3/4	3/4	3/4
MF 1x3/4	1	3/4
MF 1x1	1	1
MF 1.1/4x1	1.1/4	1
MF 1.1/4x1.1/4	1.1/4	1.1/4
MF 1.1/2x1.1/4	1.1/2	1.1/4
MF 1.1/2x1.1/2	1.1/2	1.1/2
MF 2x1.1/2	2	1.1/2
MF 2x2	2	2


KM-



Nut for Bulkhead

Part No	Thread conn.	
	A	B
KM-04	1/4	
KM-06	3/8	
KM-08	1/2	
KM-12	3/4	
KM-16	1	
KM-20	1 1/4	

727-



Bulkhead BSP/BSP

Part No	Thread conn.	
	A	B
727-04-04	1/4	1/4
727-06-06	3/8	3/8
727-08-08	1/2	1/2
727-12-12	3/4	3/4
727-16-16	1	1
727-20-20	1 1/4	1 1/4

Note:


Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

BSP ADAPTORS

Blanking Cap BSP

Part No	Thread conn.	
	A	
703-02	1/8	
703-04	1/4	
703-06	3/8	
703-08	1/2	
703-10	5/8	
703-12	3/4	
703-16	1	
703-20	1 1/4	
703-24	1 1/2	
703-32	2	


703-



Blanking Plug BSP 60°

Part No	Thread conn.	
	A	
704-02	1/8	
704-04	1/4	
704-06	3/8	
704-08	1/2	
704-10	5/8	
704-12	3/4	
704-16	1	
704-20	1 1/4	
704-24	1 1/2	
704-32	2	

704-



Swivel BSP Female

Part No	Thread conn.	
	A	B
707-04-04	1/4	1/4
707-06-06	3/8	3/8
707-08-08	1/2	1/2
707-10-10	5/8	5/8
707-12-12	3/4	3/4
707-16-16	1	1
707-20-20	1 1/4	1 1/4

707-



Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

BSP ADAPTORS


708-



**Swivel Male/Female
BSP/BSP**

Part No	Thread conn.	
	A	B
708-04-04	1/4	1/4
708-04-06	1/4	3/8
708-06-06	3/8	3/8
708-06-04	3/8	1/4
708-06-08	3/8	1/2
708-08-08	1/2	1/2
708-08-06	1/2	3/8
708-10-10	5/8	5/8
708-12-12	3/4	3/4
708-16-16	1	1
708-16-12	1	3/4
708-20-20	1 1/4	1 1/4
708-24-24	1 1/2	1 1/2

731-




**Compact Swivel 90°
Male/Female**

BSP/BSP

Part No	Thread conn.	
	A	B
731-04-04	1/4	1/4
731-06-06	3/8	3/8
731-08-08	1/2	1/2
731-10-10	5/8	5/8
731-12-12	3/4	3/4
731-16-16	1	1
731-20-20	1 1/4	1 1/4

743-



**Swivel 45°
Male/Female
BSP/BSP**

Part No	Thread conn.	
	A	B
743-04-04	1/4	1/4
743-06-06	3/8	3/8
743-08-08	1/2	1/2
743-12-12	3/4	3/4
743-16-16	1	1
743-20-20	1 1/4	1 1/4


Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

BSP ADAPTORS

**Swivel 90°
Male/Female
BSP/BSP**


Part No	Thread conn.	
	A	B
744-04-04	1/4	1/4
744-06-06	3/8	3/8
744-08-08	1/2	1/2
744-12-12	3/4	3/4
744-16-16	1	1
744-20-20	1 1/4	1 1/4



**Tee Swivel
BSP/BSP**


Part No	Thread conn.	
	A	B
746-04-04-04	1/2	
746-06-06-06	3/8	
746-08-08-08	1/2	
746-12-12-12	3/4	
746-16-16-16	1	

Note: Other sizes on request



**Tee/BSP
Male/Swivel/Male**

Part No	Thread conn.	
	A	B
747-04-04	1/4	
747-06-06	3/8	
747-08-08	1/2	
747-12-12	3/4	
747-16-16	1	



Note:


Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

BSP ADAPTORS

Adjustable 90° Male BSP

Part No	Thread conn.	
	A	B
714-04-04	1/4	1/4
714-06-06	3/8	3/8
714-08-08	1/2	1/2
714-12-12	3/4	3/4
714-16-16	1	1
714-20-20	1 1/4	1 1/4
714-24-24	1 1/2	1 1/2
714-32-32	2	2


714-



90° Compact Swivel BSP

Part No	Thread conn.	
	A	B
715-04-04	1/2	
715-06-06	3/8	
715-08-08	1/2	
715-12-12	3/4	
715-16-16	1	
714-20-20	1 1/4	1 1/4
714-24-24	1 1/2	1 1/2
714-32-32	2	2

715-




Note: Other sizes on request

90° BSP Female fixed

Part No	Thread conn.	
	A	B
747-04-04	1/4	
747-06-06	3/8	
747-08-08	1/2	
747-12-12	3/4	
747-16-16	1	

721-




BSP ADAPTORS

BSP male /
NPT female

728-


Part No	Thread conn.	
	A	B
744-04-04	1/4	1/4
744-06-06	3/8	3/8
744-08-08	1/2	1/2
744-12-12	3/4	3/4
744-16-16	1	1
744-20-20	1 1/4	1 1/4



Tee BSP Female
fixed

735-

Part No	Thread conn.	
	A	B
746-04-04-04	1/2	
746-06-06-06	3/8	
746-08-08-08	1/2	
746-12-12-12	3/4	
746-16-16-16	1	




Note: Other sizes on request

BSP ADAPTORS

748-


**Tee/BSP
Male/Male/Swivel**



Part No	Thread conn.	
	A	B
748-04-04	1/4	
748-06-06	3/8	
748-08-08	1/2	
748-12-12	3/4	
748-16-16	1	

741-


**90° Male
BSP/BSPT**



Part No	Thread conn.	
	A	B
741-04-04	1/4	1/4
741-06-06	3/8	3/8
741-08-08	1/2	1/2
741-12-12	3/4	3/4
741-16-16	1	1

745-


**BSP Tee
60°**



Part No	Thread conn.	
	A	B
745-04	1/4	
745-06	3/8	
745-08	1/2	
745-12	3/4	
745-16	1	

716-

**90° Bend
Female**



Part No	Thread conn.	
	A	B
716-04	1/4	
716-06	3/8	
716-08	1/2	
716-12	3/4	
716-16	1	
716-20	1-1/4	
716-24	1-1/2	
716-32	2	

Note:


Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

BSP ADAPTORS

Male BSP/NPT

722-


Part No	Thread conn.	
	A	B
722-02-02	1/8	1/8
722-04-04	1/4	1/4
722-06-06	3/8	3/8
722-06-08	3/8	1/2
722-08-06	1/2	3/8
722-08-08	1/2	1/2
722-08-12	1/2	3/4
722-12-08	3/4	1/2
722-12-12	3/4	3/4
722-16-16	1	1
722-20-20	1 1/4	1 1/4
722-24-24	1 1/4	1 1/2



JIC/BSP 60°

726-

Thread conn. Part No		
	A	B
726-02-07	1/8	7/16-20
726-04-07	1/4	7/16-20
726-04-08	1/4	1/2-20
726-04-09	1/4	9/16-18
726-06-09	3/8	9/16-18
726-06-12	3/8	3/4-16
726-06-14	3/8	7/8-14
726-08-12	1/2	3/4-16
726-08-14	1/2	7/8-14
726-08-17	1/2	1 1/16-12
726-12-14	3/4	7/8-14
726-12-17	3/4	1 1/16-12
726-12-19	3/4	1 3/16-12
726-12-21	3/4	1 5/16-12
726-12-26	3/4	1 5/8-12
726-16-21	1	1 5/16-12
726-20-26	1 1/4	1 5/8-12
726-20-30	1 1/4	1 7/8-12
726-24-30	1 1/2	1 7/8-12
726-32-40	2	2 1/2-12



Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

BSP ADAPTORS

Bonded Seal(Dowty) BSP

Part No	Thread Conn.
Dowty 1/8	1/8
Dowty 1/4	1/4
Dowty 3/8	3/8
Dowty 1/2	1/2
Dowty 5/8	5/8
Dowty 3/4	3/4
Dowty 1	1
Dowty 1 1/4	1 1/4
Dowty 1 1/2	1 1/2
Dowty 2	2



Bonded Seal(Dowty) METRIC

Part No	Thread Conn.
Dowty M6	M8
Dowty M8	M8
Dowty M10	M10
Dowty M12	M12
Dowty M14	M14
Dowty M16	M16
Dowty M18	M18
Dowty M20	M20
Dowty M22	M22
Dowty M26	M26
Dowty M30	M30



* More sizes on request

Note:


Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no

NPT ADAPTORS

729-

**Male/Female
NPT/NPT**

A




B

Part No	Thread conn.	
	A	B
729-04-06	1/4	3/8
729-06-04	3/8	1/4
729-06-06	3/8	3/8
729-08-06	1/2	3/8
729-08-08	1/2	1/2
729-08-12	1/2	3/4
729-12-12	3/4	3/4
729-12-16	3/4	1
729-16-16	1	1
729-20-20	1 1/4	1 1/4
729-24-24	1 1/2	1 1/2
729-24-32	1 1/2	2
729-32-32	2	2

730-

**Male/Male
NPT/NPT**

A



B

Part No	Thread conn.	
	A	B
730-02-02	1/8	1/8
730-04-02	1/4	1/8
730-04-04	1/4	1/4
730-06-02	3/8	1/8
730-06-04	3/8	1/4
730-06-06	3/8	3/8
730-08-06	1/2	3/8
730-08-08	1/2	1/2
730-12-08	3/4	1/2
730-12-12	3/4	3/4
730-16-12	1	3/4
730-16-16	1	1
730-20-12	1.1/4	3/4
730-20-16	1.1/4	1
730-20-20	1.1/4	1.1/4
730-24-24	1.1/2	1.1/2
730-32-24	2	1.1/2
730-32-32	2	2

Note:


Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

NPT ADAPTORS

Fixed Female NPT

732-


Part No	Thread conn.	
	A	B
732-04-04	1/4	1/4
732-06-04	3/8	1/4
732-06-06	3/8	3/8
732-08-06	1/2	3/8
732-08-08	1/2	1/2
732-12-12	3/4	3/4
732-16-12	1	3/4
732-16-16	1	1
732-20-16	1 1/4	1
732-20-20	1 1/4	1 1/4
732-24-24	1 1/2	1 1/2
732-32-32	2	2



Blanking Plug NPT

733-

Part No	Thread Conn.
733-04	1/4
733-06	3/8
733-08	1/2
733-12	3/4
733-16	1
733-20	1 1/4
733-24	1 1/2
733-32	2




Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

NPT ADAPTORS

735-



TEE Female NPT

Part No	Thread Conn.
735-04	1/4
735-06	3/8
735-08	1/2
735-12	3/4
735-16	1
735-20	1 1/4
735-24	1 1/2
735-32	2


734-



90° Female NPT

Part No	Thread Conn.
734-04	1/4
734-06	3/8
734-08	1/2
734-12	3/4
734-16	1
734-20	1 1/4
734-24	1 1/2
734-32	2

736-



90° Male NPT

Part No	Thread Conn.
736-04	1/4
736-06	3/8
736-08	1/2
736-12	3/4
736-16	1
736-20	1 1/4
736-24	1 1/2
736-32	2

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

NPT ADAPTORS

90° Male-female NPT

Part No	Thread Conn.
736-04	1/4
736-06	3/8
736-08	1/2
736-12	3/4
736-16	1
736-20	1 1/4
736-24	1 1/2
736-32	2

737-



45° Male-Female NPT

Part No	Thread Conn.
736-04	1/4
736-06	3/8
736-08	1/2
736-12	3/4
736-16	1
736-20	1 1/4
736-24	1 1/2
736-32	2


738-



45° Female NPT

Part No	Thread Conn.
736-04	1/4
736-06	3/8
736-08	1/2
736-12	3/4
736-16	1
736-20	1 1/4
736-24	1 1/2
736-32	2

739-



Note:


Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (723-06-06-316)

ORFS ADAPTORS

O.R.F.S (O-Ring Face Seal Type Fittings)

G-GR-ORFS


ORFS Straight Union



Part No	Thread A	Thread B
G-ORFS-04	9/16"-18	9/16"-18
GR-ORFS-06-04	11/16"-16	9/16"-18
G-ORFS-06	11/16"-16	11/16"-16
G-ORFS-08	13/16"-16	13/16"-16
GR-ORFS-08-06	13/16"-16	11/16"-16
G-ORFS-10	1"-14	1"-14
GR-ORFS-12-10	1 3/16"-12	1"-14
G-ORFS-12	1 3/16"-12	1 3/16"-12
G-ORFS-16	1 7/16"-12	1 7/16"-12
G-ORFS-20	1 1/16"-12	1 1/16"-12
G-ORFS-24	2"-12	2"-12

W-ORFS

90° Elbow Union



Part No	Thread A	
W-ORFS 9/16-18	9/16"-18	
W-ORFS 11/16-16	1 1/16"-16	
W-ORFS 13/16-16	1 3/16"-16	
W-ORFS 1-14	1"-14	
W-ORFS 13/16-12	1 3/16"-12	
W-ORFS 17/16-12	1 7/16"-12	
W-ORFS 11-16-12	1 1/16"-12	
W-ORFS 2-12	2"-12	


ORFS ADAPTORS

O.R.F.S (O-Ring Face Seal Type Fittings)

Union Tee UNF Threads

Part No	Thread A	
T-ORFS-04	9/16"-18	
T-ORFS-06	1 1/16"-16	
T-ORFS-08	1 3/16"-16	
T-ORFS-10	1"-14	
T-ORFS-12	1 3/16"-12	
T-ORFS-16	1 7/16"-12	
T-ORFS-20	1 1/16"-12	
T-ORFS-24	2"-12	


T-ORFS



Male Connector BSPP ED seal

Part No	Thread A	Thread B
GE-ORFS-04-1/8	9/16"-18	1/8"
GE-ORFS-04-1/4	9/16"-18	1/4"
GE-ORFS-04-3/8	9/16"-18	3/8"
GE-ORFS-04-1/2	9/16"-18	1/2"
GE-ORFS-06-1/4	1 1/16"-16	1/4"
GE-ORFS-06-3/8	1 1/16"-16	3/8"
GE-ORFS-06-08	1 1/16"-16	1/2"
GE-ORFS-08-1/4	1 3/16"-16	1/4"
GE-ORFS-08-3/8	1 3/16"-16	3/8"
GE-ORFS-10-1/2	1 3/16"-16	1/2"
GE-ORFS-08-3/4	1 3/16"-16	3/4"
GE-ORFS-10-3/8	1"-14	3/8"
GE-ORFS-10-1/2	1"-14	1/2"
GE-ORFS-10-3/4	1"-14	3/4"
GE-ORFS-10-1	1"-14	1"
GE-ORFS-12-1/2	1 3/16"-12	1/2"
GE-ORFS-12-3/4	1 3/16"-12	3/4"
GE-ORFS-12-1	1 3/16"-12	1"
GE-ORFS-12-1.1/4	1 3/16"-12	1 1/4"
GE-ORFS-16-3/4	1 7/16"-12	3/4"
GE-ORFS16-1	1 7/16"-12	1"
GE-ORFS-16-1.1/4	1 7/16"-12	1 1/4"
GE-ORFS-20-1	1 11/16"-12	1"
GE-ORFS-20-1.1/4	1 11/16"-12	1 1/4"
GE-ORFS-20-1.1/2	1 11/16"-12	1 1/2"
GE-ORFS-24-1.1/2	2"-12	1 1/2"


GE-ORFS



ORFS ADAPTORS

O.R.F.S (O-Ring Face Seal Type Fittings)


GE-ORFS



Male Connector Metric Thread

Part No	Thread A	Thread B
GE-ORFS-04-M12	9/16"-18	M12 x 1.5
GE-ORFS-06-M14	1 11/16"-16	M14 x 1.5
GE-ORFS-08-M14	1 3/16"-16	M18 x 1.5
GE-ORFS-10-M22	1"-14	M22 x 1.5
GE-ORFS-12-M27	1 3/16"-12	M27 x 2
GE-ORFS-16-M33	1 7/16"-12	M33 x 2
GE-ORFS-20-M42	1 11/16"-12	M42 x 2
GE-ORFS-24-M48	2"-12	M48 x 2

GE-ORFS



Male Connector UNF Threads

Part No		Thread A	Thread B
GE-ORFS-04-7/16UN		9/16"-18	7/16"-20
GE-ORFS-04-9/16UN		9/16"-18	9/16"-18
GE-ORFS-06-7/16UN		1 1/16"-16	7/16"-20
GE-ORFS-06-9/16UN		1 1/16"-16	9/16"-18
GE-ORFS-06-3/4UN		1 1/16"-16	3/4"-16
GE-ORFS-06-7/8UN		1 1/16"-16	7/8"-14
GE-ORFS-08-9/16UN		1 3/16"-16	9/16"-18
GE-ORFS-08-3/4UN		1 3/16"-16	3/4"-16
GE-ORFS-08-7/8UN		1 3/16"-16	7/8"-14
GE-ORFS 10-3/4UN		1"-14	3/4"-16
GE-ORFS-10-7/8UN		1"-14	7/8"-14
GE-ORFS-10-1 1/16UN		1"-14	1 1/16"-12
GE-ORFS-12-3/4UN		1 3/16"-12	3/4"-16
GE-ORFS-12-7/8UN		1 3/16"-12	7/8"-14
GE-ORFS-12-1 1/16UN		1 3/16"-12	1 1/16"-12
GE-ORFS-12-1 5/16UN		1 3/16"-12	1 5/16"-12
GE-ORFS-16-1 5/16UN		1 7/16"-12	1 5/16"-12
GE-ORFS-16-1 5/8UN		1 7/16"-12	1 5/8"-12
GE-ORFS-20-1 5/8UN		1 11/16"-12	1 5/8"-12
GE-ORFS-20-1 7/8UN		1 11/16"-12	1 7/8"-12
GE-ORFS-24-1 7/8UN		2"-12	1 7/8"-12


ORFS ADAPTORS

O.R.F.S (O-Ring Face Seal Type Fittings)

90° Swivel Nut Elbow UNF Threads

Part No	Thread A	
EL-ORFS-04	9/16"-18	
EL-ORFS-06	1 1/16"-16	
EL-ORFS-08	1 3/16"-16	
EL-ORFS-10	1"-14	
EL-ORFS-12	1 3/16"-12	
EL-ORFS-16	1 7/16"-12	
EL-ORFS-20	1 11/16"-12	
EL-ORFS-24	2"-12	


EL-ORFS



Bulkhead Union

Part No	Thread A	
SV-ORFS-04	9/16"-18	
SV-ORFS-06	1 1/16"-16	
SV-ORFS-08	1 3/16"-16	
SV-ORFS-10	1"-14	
SV-ORFS-12	1 3/16"-12	
SV-ORFS-16	1 7/16"-12	
SV-ORFS-20	1 1/16"-12	
SV-ORFS-24	2"-12	


SV-ORFS



Swivel Nut Branch Tee UNF Threads

Part No	Thread A	Thread B	Thread C
ET-ORFS-04	9/16"-18	9/16"-18	9/16"-18
ET-ORFS-06	1 1/16"-16	1 1/16"-16	1 1/16"-16
ET-ORFS-08	1 3/16"-16	1 3/16"-16	1 3/16"-16
ET-ORFS-10	1"-14	1"-14	1"-14
ET-ORFS-12	1 3/16"-12	1 3/16"-12	1 3/16"-12
ET-ORFS-16	1 7/16"-12	1 7/16"-12	1 7/16"-12
ET-ORFS-20	1 11/16"-12	1 11/16"-12	1 11/16"-12
ET-ORFS-24	2"-12	2"-12	2"-12


ET-ORFS



ORFS ADAPTORS

O.R.F.S (O-Ring Face Seal Type Fittings)


EG-ORFS



Swivel Nut Male Connector BSPP Male

Part No	Thread A	Thread B
EG-ORFS-04-1/8	9/16"-18	1/8"
EG-ORFS-04-1/4	9/16"-18	1/4"
EG-ORFS-06-1/4	1 1/16"-16	1/4"
EG-ORFS-06-3/8	1 1/16"-16	3/8"
EG-ORFS-08-3/8	1 3/16"-16	3/8"
EG-ORFS-08-1/2	1 3/16"-16	1/2"
EG-ORFS-10-1/2	1"-14	1/2"
EG-ORFS-12-3/4	1 3/16"-12	3/4"
EG-ORFS-16-1	1 7/16"-12	1"
EG-ORFS-20-1-1/4	1 11/16"-12	1 1/4"
EG-ORFS-24-1-1/2	2"-12	1 1/2"


BUZ-ORFS



Body Cap

Part No	Thread A	
BUZ-ORFS-04	9/16"-18	
BUZ-ORFS-06	1 1/16"-16	
BUZ-ORFS-08	1 3/16"-16	
BUZ-ORFS-10	1"-14	
BUZ-ORFS-12	1 3/16"-12	
BUZ-ORFS-16	1 7/16"-12	
BUZ-ORFS-20	1 11/16"-12	
BUZ-ORFS-24		

VSTI-ORFS



Plug

Part No	Thread A
VSTI-ORFS-04	9/16"-18
VSTI-ORFS-06	1 1/16"-16
VSTI-ORFS-08	1 3/16"-16
VSTI-ORFS-10	1"-14
VSTI-ORFS-12	1 3/16"-12
VSTI-ORFS-16	1 7/16"-12
VSTI-ORFS-20	1 11/16"-12
VSTI-ORFS-24	2"-12


ORFS ADAPTORS

O.R.F.S (O-Ring Face Seal Type Fittings)

Sleeve

Part No	Pipe O.D.
Sleeve-ORFS-06	6 mm
Sleeve-ORFS-08	8 mm
Sleeve-ORFS-10	10 mm
Sleeve-ORFS-12	12 mm
Sleeve-ORFS-14	14 mm
Sleeve-ORFS-15	15 mm
Sleeve-ORFS-16	16 mm
Sleeve-ORFS-18	18 mm
Sleeve-ORFS-20	20 mm
Sleeve-ORFS-22	22 mm
Sleeve-ORFS-25	25 mm
Sleeve-ORFS-28	28 mm
Sleeve-ORFS-30	30 mm
Sleeve-ORFS-32	32 mm
Sleeve-ORFS-35	35 mm
Sleeve-ORFS-38	38 mm


Sleeve-ORFS



Nut UNF Threads

Part No	Thread A
M-ORFS-04	9/16"-18
M-ORFS-06	1 1/16"-16
M-ORFS-08	1 3/16"-16
M-ORFS-10	1"-14
M-ORFS-12	1 3/16"-12
M ORFS-16	1 7/16"-12
M-ORFS-20	1 11/16"-12
M ORFS-24	2"-12

M-ORFS




ORFS o-ring


Part No
ORFS-04 o-ring
ORFS-06 o-ring
ORFS-08 o-ring
ORFS-10 o-ring
ORFS-12 o-ring
ORFS-16 o-ring
ORFS-20 o-ring
ORFS-24 o-ring





JIC ADAPTORS SAE J514 - ISO 8434-2

description	press. [bar]	Part.no (carbon steel)	pipe O.D.				JIC 37° [UN-UNF]	
			[mm]		[inch]		A	B
			A	B	A	B		
1010- Straight body 	450	1010-0404	6	6	1/4	1/4	7/16-20	7/16-20
		1010-0505	8	8	5/16	5/16	1/2-20	1/2-20
	350	1010-0606	10	10	3/8	3/8	9/16-18	9/16-18
		1010-0808	12	12	1/2	1/2	3/4-16	3/4-16
		1010-1010	14-15-16	14-15-16	5/8	5/8	7/8-14	7/8-14
		1010-1212	18-20	18-20	3/4	3/4	1.1/16-12	1.1/16-12
	290	1010-1616	25	25	1	1	1.5/16-12	1.5/16-12
	240	1010-2020	30-32	30-32	1.1/4	1.1/4	1.5/8-12	1.5/8-12
		1010-2424	38	38	1.1/2	1.1/2	1.7/8-12	1.7/8-12

Straight reducer body	350	1010-0604	10	6	3/8	1/4	9/16-18	7/16-20
		1010-0605	10	8	1/2	5/16	9/16-18	1/2-20
		1010-0806	12	10	1/2	3/8	3/4-16	9/16-18
		1010-1008	14-15-16	12	5/8	1/2	7/8-14	3/4-16
		1010-1208	18-20	12	3/4	1/2	1.1/16-12	3/4-16
		1010-1210	18-20	14-15-16	3/4	5/8	1.1/16-12	3/4-16
	290	1010-1612	25	18-20	1	3/4	1.5/16-12	1.1/16-12

description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1110- 90° elbow body 	450	1110-0404	6	1/4	7/16-20
		1110-0505	8	5/16	1/2-20
	350	1110-0606	10	3/8	9/16-18
		1110-0808	12	1/2	3/4-16
		1110-1010	14-15-16	5/8	7/8-14
		1110-1212	18-20	3/4	1.1/16-12
	290	1110-1616	25	1	1.5/16-12
	240	1110-2020	30-32	1.1/4	1.5/8-12
		1110-2424	38	1.1/2	1.7/8-12


description	press. [bar]	code (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1210- Tee body 	450	1210-040404	6	1/4	7/16-20
		1210-050505	8	5/16	1/2-20
	350	1210-060606	10	3/8	9/16-18
		1210-080808	12	1/2	3/4-16
		1210-101010	14-15-16	5/8	7/8-14
		1210-121212	18-20	3/4	1.1/16-12
	290	1210-161616	25	1	1.5/16-12
	240	1210-202020	30-32	1.1/4	1.5/8-12
		1210-242424	38	1.1/2	1.7/8-12


description	press. [bar]	code (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1030- Straight bulkhead 	450	1030-0404	6	1/4	7/16-20
		1030-0505	8	5/16	1/2-20
	350	1030-0606	10	3/8	9/16-18
		1030-0808	12	1/2	3/4-16
		1030-1010	14-15-16	5/8	7/8-14
		1030-1212	18-20	3/4	1.1/16-12
	290	1030-1616	25	1	1.5/16-12
	240	1030-2020	30-32	1.1/4	1.5/8-12
		1030-2424	38	1.1/2	1.7/8-12


Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no
(1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2

description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1130- 90° elbow swivel 	450	1130-0404	6	1/4	7/16-20
		1130-0505	8	5/16	1/2-20
	350	1130-0606	10	3/8	9/16-18
		1130-0808	12	1/2	3/4-16
		1130-1010	14-15-16	5/8	7/8-14
		1130-1212	18-20	3/4	1.1/16-12
	290	1130-1616	25	1	1.5/16-12
	240	1130-2020	30-32	1.1/4	1.5/8-12
		1130-2424	38	1.1/2	1.7/8-12


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1420- 45° elbow swivel 	450	1420-0404	6	1/4	7/16-20
		1420-0505	8	5/16	1/2-20
	350	1420-0606	10	3/8	9/16-18
		1420-0808	12	1/2	3/4-16
		1420-1010	14-15-16	5/8	7/8-14
		1420-1212	18-20	3/4	1.1/16-12
	290	1420-1616	25	1	1.5/16-12
	240	1420-2020	30-32	1.1/4	1.5/8-12
		1420-2424	38	1.1/2	1.7/8-12


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1240- Swivel branch tee 	450	1240-040404	6	1/4	7/16-20
		1240-050505	8	5/16	1/2-20
	350	1240-060606	10	3/8	9/16-18
		1240-080808	12	1/2	3/4-16
		1240-101010	14-15-16	5/8	7/8-14
		1240-121212	18-20	3/4	1.1/16-12
	290	1240-161616	25	1	1.5/16-12
	240	1240-202020	30-32	1.1/4	1.5/8-12
		1240-242424	38	1.1/2	1.7/8-12


Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2

description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1230- Swivel run tee 	450	1230-040404	6	1/4	7/16-20
		1230-050505	8	5/16	1/2-20
	350	1230-060606	10	3/8	9/16-18
		1230-080808	12	1/2	3/4-16
		1230-101010	14-15-16	5/8	7/8-14
		1230-121212	18-20	3/4	1.1/16-12
	290	1230-161616	25	1	1.5/16-12
	240	1230-202020	30-32	1.1/4	1.5/8-12
		1230-242424	38	1.1/2	1.7/8-12


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1120- Bulkhead 90°elbow 	450	1120-0404	6	1/4	7/16-20
		1120-0505	8	5/16	1/2-20
	350	1120-0606	10	3/8	9/16-18
		1120-0808	12	1/2	3/4-16
		1120-1010	14-15-16	5/8	7/8-14
		1120-1212	18-20	3/4	1.1/16-12
	290	1120-1616	25	1	1.5/16-12
	240	1120-2020	30-32	1.1/4	1.5/8-12
		1120-2424	38	1.1/2	1.7/8-12


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1310- Cross body 	450	1310-0404	6	1/4	7/16-20
		1310-0505	8	5/16	1/2-20
	350	1310-0606	10	3/8	9/16-18
		1310-0808	12	1/2	3/4-16
		1310-1010	14-15-16	5/8	7/8-14
		1310-1212	18-20	3/4	1.1/16-12
	290	1310-1616	25	1	1.5/16-12
	240	1310-2020	30-32	1.1/4	1.5/8-12
		1310-2424	38	1.1/2	1.7/8-12

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no
(1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	G [BSP]
			[mm]	[inch]		
6010- BSP Male 	350	6010-0402	6	1/4	7/16-20	1/8
		6010-0404	6	1/4	7/16-20	1/4
		6010-0406	6	1/4	7/16-20	3/8
		6010-0408	6	1/4	7/16-20	1/2
		6010-0502	8	5/16	1/2-20	1/8
		6010-0504	8	5/16	1/2-20	1/4
		6010-0506	8	5/16	1/2-20	3/8
		6010-0602	10	3/8	9/16-18	1/8
		6010-0604	10	3/8	9/16-18	1/4
		6010-0606	10	3/8	9/16-18	3/8
		6010-0608	10	3/8	9/16-18	1/2
		6010-0804	12	1/2	3/4-16	1/4
		6010-0806	12	1/2	3/4-16	3/8
		6010-0808	12	1/2	3/4-16	1/2
		6010-0812	12	1/2	3/4-16	3/4
		6010-1006	14-15-16	5/8	7/8-14	3/8
		6010-1008	14-15-16	5/8	7/8-14	1/2
		6010-1012	14-15-16	5/8	7/8-14	3/4
		6010-1206	18-20	3/4	1.1/16-12	3/8
		6010-1208	18-20	3/4	1.1/16-12	1/2
		6010-1212	18-20	3/4	1.1/16-12	3/4
	290	6010-1216	18-20	3/4	1.1/16-12	1
		6010-1612	25	1	1.5/16-12	3/4
		6010-1616	25	1	1.5/16-12	1
	240	6010-1620	25	1	1.5/16-12	1.1/4
		6010-2016	30-32	1.1/4	1.5/8-12	1
		6010-2020	30-32	1.1/4	1.5/8-12	1.1/4
		6010-2024	30-32	1.1/4	1.5/8-12	1.1/2
		6010-2420	38	1.1/2	1.7/8-12	1.1/4
		6010-2424	38	1.1/2	1.7/8-12	1.1/2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	W [UN-UNF]
			[mm]	[inch]		
1510- UNF male 	400	1510-0404	6	1/4	7/16-20	7/16-20
		1510-0405	6	1/4	7/16-20	1/2-20
	350	1510-0406	6	1/4	7/16-20	9/16-18
		1510-0408	6	1/4	7/16-20	3/4-16
	400	1510-0505	8	5/16	1/2-20	1/2-20
		1510-0506	8	5/16	1/2-20	9/16-18
	350	1510-0604	10	3/8	9/16-18	7/16-20
		1510-0605	10	3/8	9/16-18	1/2-20
		1510-0606	10	3/8	9/16-18	9/16-18
		1510-0608	10	3/8	9/16-18	3/4-16
		1510-0610	10	3/8	9/16-18	7/8-14
		1510-0806	12	1/2	3/4-16	9/16-18
		1510-0808	12	1/2	3/4-16	3/4-16
		1510-0810	12	1/2	3/4-16	7/8-14
		1510-0812	12	1/2	3/4-16	1.1/16-12
		1510-1008	14-15-16	5/8	7/8-14	3/4-16
		1510-1010	14-15-16	5/8	7/8-14	7/8-14
		1510-1012	14-15-16	5/8	7/8-14	1.1/16-12
		1510-1208	18-20	3/4	1.1/16-12	3/4-16
		1510-1210	18-20	3/4	1.1/16-12	7/8-14
	290	1510-1212	18-20	3/4	1.1/16-12	1.1/16-12
		1510-1216	18-20	3/4	1.1/16-12	1.5/16-12
		1510-1608	25	1	1.5/16-12	3/4-16
		1510-1612	25	1	1.5/16-12	1.1/16-12
		1510-1616	25	1	1.5/16-12	1.5/16-12
	240	1510-1620	25	1	1.5/16-12	1.5/8-12
		1510-2016	30-32	1.1/4	1.5/8-12	1.5/16-12
		1510-2020	30-32	1.1/4	1.5/8-12	1.5/8-12
		1510-2420	38	1.1/2	1.7/8-12	1.5/8-12
		1510-2424	38	1.1/2	1.7/8-12	1.7/8-12

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no
(1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	P [NPT]
			[mm]	[inch]		
1040- NPT male 	350	1040-0402	6	1/4	7/16-20	1/8
		1040-0404	6	1/4	7/16-20	1/4
		1040-0406	6	1/4	7/16-20	3/8
		1040-0408	6	1/4	7/16-20	1/2
		1040-0502	8	5/16	1/2-20	1/8
		1040-0504	8	5/16	1/2-20	1/4
		1040-0602	10	3/8	9/16-18	1/8
		1040-0604	10	3/8	9/16-18	1/4
		1040-0606	10	3/8	9/16-18	3/8
		1040-0608	10	3/8	9/16-18	1/2
		1040-0804	12	1/2	3/4-16	1/4
		1040-0806	12	1/2	3/4-16	3/8
		1040-0808	12	1/2	3/4-16	1/2
		1040-0812	12	1/2	3/4-16	3/4
		1040-1006	14-15-16	5/8	7/8-14	3/8
		1040-1008	14-15-16	5/8	7/8-14	1/2
		1040-1012	14-15-16	5/8	7/8-14	3/4
		1040-1208	18-20	3/4	1.1/16-12	1/2
		1040-1212	18-20	3/4	1.1/16-12	3/4
	290	1040-1216	18-20	3/4	1.1/16-12	1
		1040-1612	25	1	1.5/16-12	3/4
		1040-1616	25	1	1.5/16-12	1
	240	1040-2016	30-32	1.1/4	1.5/8-12	1
		1040-2020	30-32	1.1/4	1.5/8-12	1.1/4
		1040-2420	38	1.1/2	1.7/8-12	1.1/4
		1040-2424	38	1.1/2	1.7/8-12	1.1/2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	M [mm]
			[mm]	[inch]		
4540- Metric male 	350	4540-0410	6	1/4	7/16-20	10x1
		4540-0412	6	1/4	7/16-20	12x1.5
		4540-0510	8	5/16	1/2-20	10x1
		4540-0512	8	5/16	1/2-20	12x1.5
		4540-0514	8	5/16	1/2-20	14x1.5
		4540-0614	10	3/8	9/16-18	14x1.5
		4540-0616	10	3/8	9/16-18	16x1.5
		4540-0814	12	1/2	3/4-16	14x1.5
		4540-0816	12	1/2	3/4-16	16x1.5
		4540-0818	12	1/2	3/4-16	18x1.5
		4540-1018	14-15-16	5/8	7/8-14	18x1.5
		4540-1022	14-15-16	5/8	7/8-14	22x1.5
		4540-1020	14-15-16	5/8	7/8-14	20x1.5
		4540-1222	18-20	3/4	1.1/16-12	22x1.5
		4540-1227	18-20	3/4	1.1/16-12	27x2
	290	4540-1627	25	1	1.5/16-12	27x2
		4540-1633	25	1	1.5/16-12	33x2
	240	4540-2042	30-32	1.1/4	1.5/8-12	42x2
		4540-2448	38	1.1/2	1.7/8-12	48x2


Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2

description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	G [BSP]
			[mm]	[inch]		
6020- BSP female 	350	6020-0402	6	1/4	7/16-20	1/8
		6020-0404	6	1/4	7/16-20	1/4
		6020-0502	8	5/16	1/2-20	1/8
		6020-0504	8	5/16	1/2-20	1/4
		6020-0604	10	3/8	9/16-18	1/4
		6020-0606	10	3/8	9/16-18	3/8
		6020-0608	10	3/8	9/16-18	1/2
		6020-0804	12	1/2	3/4-16	1/4
		6020-0806	12	1/2	3/4-16	3/8
		6020-0808	12	1/2	3/4-16	1/2
	315	6020-1008	14-15-16	5/8	7/8-14	1/2
		6020-1208	18-20	3/4	1.1/16-12	1/2
	290	6020-1212	18-20	3/4	1.1/16-12	3/4
	240	6020-1616	25	1	1.5/16-12	1
		6020-2016	30-32	1.1/4	1.5/8-12	1
		6020-2020	30-32	1.1/4	1.5/8-12	1.1/4
		6020-2420	38	1.1/2	1.7/8-12	1.1/4
		6020-2424	38	1.1/2	1.7/8-12	1.1/2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	P [NPT]
			[mm]	[inch]		
1050- NPT female 	350	1050-0402	6	1/4	7/16-20	1/8
		1050-0404	6	1/4	7/16-20	1/4
		1050-0502	8	5/16	1/2-20	1/8
		1050-0504	8	5/16	1/2-20	1/4
		1050-0604	10	3/8	9/16-18	1/4
		1050-0606	10	3/8	9/16-18	3/8
		1050-0804	12	1/2	3/4-16	1/4
		1050-0806	12	1/2	3/4-16	3/8
		1050-0808	12	1/2	3/4-16	1/2
		1050-1008	14-15-16	5/8	7/8-14	1/2
	315	1050-1208	18-20	3/4	1.1/16-12	1/2
		1050-1212	18-20	3/4	1.1/16-12	3/4
	290	1050-1616	25	1	1.5/16-12	1
	240	1050-2020	30-32	1.1/4	1.5/8-12	1.1/4
		1050-2424	38	1.1/2	1.7/8-12	1.1/2


description	press. [bar]	code (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1020- JIC Female swivel 	450	1020-0404	6	1/4	7/16-20
		1020-0505	8	5/16	1/2-20
	350	1020-0606	10	3/8	9/16-18
		1020-0808	12	1/2	3/4-16
		1020-1010	14-15-16	5/8	7/8-14
		1020-1212	18-20	3/4	1.1/16-12
	290	1020-1616	25	1	1.5/16-12
	240	1020-2020	30-32	1.1/4	1.5/8-12
		1020-2424	38	1.1/2	1.7/8-12

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2


description	press. [bar]	Part.no (carbon steel)	JIC 37° [UN-UNF]	G [BSP]
6030- Swivel x BSP male 	350	6030-0402	7/16-20	1/8
		6030-0404	7/16-20	1/4
		6030-0406	7/16-20	3/8
		6030-0502	1/2-20	1/8
		6030-0504	1/2-20	1/4
		6030-0506	1/2-20	3/8
		6030-0604	9/16-18	1/4
		6030-0606	9/16-18	3/8
		6030-0608	9/16-18	1/2
		6030-0804	3/4-16	1/4
		6030-0806	3/4-16	3/8
		6030-0808	3/4-16	1/2
		6030-1006	7/8-14	3/8
		6030-1008	7/8-14	1/2
		6030-1012	7/8-14	3/4
		6030-1208	1.1/16-12	1/2
		6030-1212	1.1/16-12	3/4
	290	6030-1216	1.1/16-12	1
		6030-1612	1.5/16-12	3/4
		6030-1616	1.5/16-12	1
	240	6030-1620	1.5/16-12	1.1/4
		6030-2016	1.5/8-12	1
		6030-2020	1.5/8-12	1.1/4
		6030-2420	1.7/8-12	1.1/4
		6030-2424	1.7/8-12	1.1/2


description	press. [bar]	Part.no (carbon steel)	JIC 37° [UN-UNF]	W [UN-UNF]
1560- Swivel x UNF male 	350	1560-0404	7/16-20	7/16-20
		1560-0405	7/16-20	1/2-20
		1560-0406	7/16-20	9/16-18
		1560-0505	1/2-20	1/2-20
		1560-0606	9/16-18	9/16-18
		1560-0608	9/16-18	3/4-16
		1560-0808	3/4-16	7/8-14
		1560-0810	3/4-16	3/4-16
		1560-0812	3/4-16	1.1/16-12
		1560-1008	7/8-14	3/4-16
		1560-1012	7/8-14	1.1/16-12
		1560-1010	7/8-14	7/8-14
		1560-1208	1.1/16-12	3/4-16
		1560-1210	1.1/16-12	7/8-14
		1560-1212	1.1/16-12	1.1/16-12
	290	1560-1612	1.5/16-12	1.1/16-12
		1560-1616	1.5/16-12	1.5/16-12
		1560-2020	1.5/8-12	1.5/8-12
	240	1560-2424	1.7/8-12	1.7/8-12

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2


description	press. [bar]	Part.no (carbon steel)	JIC 37° [UN-UNF]	M [mm]	
4360- Swivel x Metric male 	350	4360-0410	7/16-20	10x1	
		4360-0412	7/16-20	12x1.5	
		4360-0510	1/2-20	10x1.0	
		4360-0512	1/2-20	12x1.5	
		4360-0514	1/2-20	14x1.5	
		4360-0614	9/16-18	14x1.5	
		4360-0616	9/16-18	16x1.5	
		4360-0816	3/4-16	16x1.5	
		4360-0818	3/4-16	18x1.5	
		4360-1018	7/8-14	18x1.5	
		4360-1020	7/8-14	20x1.5	
		4360-1022	7/8-14	22x1.5	
		4360-1222	1.1/16-12	22x1.5	
		4360-1227	1.1/16-12	27x2	
	290	4360-1627	1.5/16-12	27x2	
	240	4360-1633	1.5/16-12	33x2	
		4360-2042	1.5/8-12	42x2	
		4360-2448	1.7/8-12	48x2	


description	press. [bar]	Part.no (carbon steel)	JIC 37° [UN-UNF]	P [NPT]
1080- Swivel x NPT male 	350	1080-0402	7/16-20	1/8
		1080-0404	7/16-20	1/4
		1080-0406	7/16-20	3/8
		1080-0502	1/2-20	1/8
		1080-0504	1/2-20	1/4
		1080-0506	1/2-20	3/8
		1080-0604	9/16-18	1/4
		1080-0606	9/16-18	3/8
		1080-0608	9/16-18	1/2
		1080-0804	3/4-16	1/4
		1080-0806	3/4-16	3/8
		1080-0808	3/4-16	1/2
		1080-1006	7/8-14	3/8
		1080-1008	7/8-14	1/2
		1080-1012	7/8-14	3/4
		1080-1208	1.1/16-12	1/2
		1080-1212	1.1/16-12	3/4
	290	1080-1216	1.1/16-12	1
		1080-1612	1.5/16-12	3/4
		1080-1616	1.5/16-12	1
	240	1080-1620	1.5/16-12	1.1/4
		1080-2016	1.5/8-12	1
		1080-2020	1.5/8-12	1.1/4
		1080-2420	1.7/8-12	1.1/4
		1080-2424	1.7/8-12	1.1/2

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no
(1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2

description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	G [BSP]
			[mm]	[inch]		
6310- BSP Adjustable 90° 	350	6310-0402	6	1/4	7/16-20	1/8
	315	6310-0404	6	1/4	7/16-20	1/4
		6310-0406	6	1/4	7/16-20	3/8
	250	6310-0408	6	1/4	7/16-20	1/2
	350	6310-0502	8	5/16	1/2-20	1/8
	315	6310-0504	8	5/16	1/2-20	1/4
		6310-0506	8	5/16	1/2-20	3/8
		6310-0604	10	3/8	9/16-18	1/4
		6310-0606	10	3/8	9/16-18	3/8
	250	6310-0608	10	3/8	9/16-18	1/2
	315	6310-0804	12	1/2	3/4-16	1/4
		6310-0806	12	1/2	3/4-16	3/8
	250	6310-0808	12	1/2	3/4-16	1/2
		6310-0812	12	1/2	3/4-16	3/4
	315	6310-1006	14-15-16	5/8	7/8-14	3/8
	250	6310-1008	14-15-16	5/8	7/8-14	1/2
		6310-1012	14-15-16	5/8	7/8-14	3/4
		6310-1208	18-20	3/4	1.1/16-12	1/2
		6310-1212	18-20	3/4	1.1/16-12	3/4
	200	6310-1216	18-20	3/4	1.1/16-12	1
	250	6310-1612	25	1	1.5/16-12	3/4
	200	6310-1616	25	1	1.5/16-12	1
		6310-1620	25	1	1.5/16-12	1.1/4
		6310-2016	30-32	1.1/4	1.5/8-12	1
		6310-2020	30-32	1.1/4	1.5/8-12	1.1/4
		6310-2420	38	1.1/2	17/8-12	1.1/4
	160	6310-2424	38	1.1/2	1.7/8-12	1.1/2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	G [BSP]
			[mm]	[inch]		
6710- BSP Adjustable 45° 	350	6710-0402	6	1/4	7/16-20	1/8
	315	6710-0404	6	1/4	7/16-20	1/4
		6710-0406	6	1/4	7/16-20	3/8
	250	6710-0408	6	1/4	7/16-20	1/2
	350	6710-0502	8	5/16	1/2-20	1/8
	315	6710-0504	8	5/16	1/2-20	1/4
		6710-0506	8	5/16	1/2-20	3/8
		6710-0604	10	3/8	9/16-18	1/4
		6710-0606	10	3/8	9/16-18	3/8
	250	6710-0608	10	3/8	9/16-18	1/2
	315	6710-0804	12	1/2	3/4-16	1/4
		6710-0806	12	1/2	3/4-16	3/8
	250	6710-0808	12	1/2	3/4-16	1/2
		6710-0812	12	1/2	3/4-16	3/4
	315	6710-1006	14-15-16	5/8	7/8-14	3/8
	250	6710-1008	14-15-16	5/8	7/8-14	1/2
		6710-1012	14-15-16	5/8	7/8-14	3/4
		6710-1208	18-20	3/4	1.1/16-12	1/2
		6710-1212	18-20	3/4	1.1/16-12	3/4
	200	6710-1216	18-20	3/4	1.1/16-12	1
	250	6710-1612	25	1	1.5/16-12	3/4
	200	6710-1616	25	1	1.5/16-12	1
		6710-1620	25	1	1.5/16-12	1.1/4
		6710-2016	30-32	1.1/4	1.5/8-12	1
		6710-2020	30-32	1.1/4	1.5/8-12	1.1/4
		6710-2420	38	1.1/2	17/8-12	1.1/4
	160	6710-2424	38	1.1/2	1.7/8-12	1.1/2


Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2

description	press. [bar]	code (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
1032- Welding bulkhead	450	1032-0404	6	1/4	7/16-20
		1032-0505	8	5/16	1/2-20
	350	1032-0606	10	3/8	9/16-18
		1032-0808	12	1/2	3/4-16
		1032-1010	14-15-16	5/8	7/8-14
		1032-1212	18-20	3/4	1.1/16-12
	290	1032-1616	25	1	1.5/16-12
	240	1032-2020	30-32	1.1/4	1.5/8-12
		1032-2424	38	1.1/2	1.7/8-12


description	press. [bar]	Part.no (carbon steel)	JIC 37° [UN-UNF]	W [UN-UNF]
1610- UNF Adjustable 90° 	400	1610-0404	7/16-20	7/16-20
		1610-0405	7/16-20	1/2-20
	350	1610-0406	7/16-20	9/16-18
		1610-0505	1/2-20	1/2-20
		1610-0606	9/16-18	9/16-18
		1610-0608	9/16-18	3/4-16
		1610-0810	3/4-16	7/8-14
		1610-0808	3/4-16	3/4-16
		1610-0812	3/4-16	11/16-12
		1610-1008	7/8-14	3/4-16
		1610-1010	7/8-14	7/8-14
		1610-1012	7/8-14	11/16-12
		1610-1208	1.1/16-12	3/4-16
		1610-1210	1.1/16-12	7/8-14
	290	1610-1212	1.1/16-12	11/16-12
		1610-1612	1.5/16-12	11/16-12
		1610-1616	1.5/16-12	15/16-12
	240	1610-2020	1.5/8-12	15/8-12
		1610-2424	1.7/8-12	17/8-12


description	press. [bar]	Part.no (carbon steel)	JIC 37° [UN-UNF]	M [mm]
4310- Metric Adjustable 90° 	350	4310-0410	7/16-20	10x1
		4310-0412	7/16-20	12x1.5
	315	4310-0510	1/2-20	10x1
		4310-0512	1/2-20	12x1.5
		4310-0614	9/16-18	14x1.5
		4310-0616	9/16-18	16x1.5
		4310-0816	3/4-16	16x1.5
		4310-0818	3/4-16	18x1.5
		4310-1018	7/8-14	18x1.5
	250	4310-1020	7/8-14	20x1.5
		4310-1022	7/8-14	22x1.5
		4310-1222	1.1/16-12	22x1.5
		4310-1227	1.1/16-12	27x2
		4310-1627	1.5/16-12	27x2
	200	4310-1633	1.5/16-12	33x2
		4310-2042	1.5/8-12	42x2
	160	4310-2448	1.7/8-12	48x2

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	G-P [NPT]
			[mm]	[inch]		
1260- NPT branch tee 	350	1260-040402	6	1/4	7/16-20	1/8
		1260-040404	6	1/4	7/16-20	1/4
		1260-050502	8	5/16	1/2-20	1/8
		1260-050504	8	5/16	1/2-20	1/4
		1260-060602	10	3/8	9/16-18	1/8
		1260-060604	10	3/8	9/16-18	1/4
		1260-060606	10	3/8	9/16-18	3/8
		1260-060608	10	3/8	9/16-18	1/2
		1260-080804	12	1/2	3/4-16	1/4
		1260-080806	12	1/2	3/4-16	3/8
		1260-080808	12	1/2	3/4-16	1/2
		1260-080812	12	1/2	3/4-16	3/4
		1260-101006	14-15-16	5/8	7/8-14	3/8
		1260-101008	14-15-16	5/8	7/8-14	1/2
		1260-101012	14-15-16	5/8	7/8-14	3/4
		1260-121208	18-20	3/4	1.1/16-12	1/2
		1260-121212	18-20	3/4	1.1/16-12	3/4
	290	1260-161612	25	1	1.5/16-12	3/4
		1260-161616	25	1	1.5/16-12	1
	240	1260-202016	30-32	1.1/4	1.5/8-12	1
		1260-202020	30-32	1.1/4	1.5/8-12	1.1/4
		1260-242424	38	1.1/2	1.7/8-12	1.1/2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	P [NPT]
			[mm]	[inch]		
1140- NPT 90° 	350	1140-0402	6	1/4	7/16-20	1/8
		1140-0404	6	1/4	7/16-20	1/4
		1140-0406	6	1/4	7/16-20	3/8
		1140-0408	6	1/4	7/16-20	1/2
		1140-0502	8	5/16	1/2-20	1/8
		1140-0504	8	5/16	1/2-20	1/4
		1140-0602	10	3/8	9/16-18	1/8
		1140-0604	10	3/8	9/16-18	1/4
		1140-0606	10	3/8	9/16-18	3/8
		1140-0608	10	3/8	9/16-18	1/2
		1140-0804	12	1/2	3/4-16	1/4
		1140-0806	12	1/2	3/4-16	3/8
		1140-0808	12	1/2	3/4-16	1/2
		1140-0812	12	1/2	3/4-16	3/4
		1140-1006	14-15-16	5/8	7/8-14	3/8
		1140-1008	14-15-16	5/8	7/8-14	1/2
		1140-1012	14-15-16	5/8	7/8-14	3/4
		1140-1208	18-20	3/4	1.1/16-12	1/2
		1140-1212	18-20	3/4	1.1/16-12	3/4
	290	1140-1216	18-20	3/4	1.1/16-12	1
		1140-1612	25	1	1.5/16-12	3/4
		1140-1616	25	1	1.5/16-12	1
	240	1140-1620	25	1	1.5/16-12	1.1/4
		1140-2016	30-32	1.1/4	1.5/8-12	1
		1140-2020	30-32	1.1/4	1.5/8-12	1.1/4
		1140-2024	30-32	1.1/4	1.5/8-12	1.1/2
		1140-2420	38	1.1/2	1.7/8-12	1.1/4
		1140-2424	38	1.1/2	1.7/8-12	1.1/2

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	P [NPT]
			[mm]	[inch]		
1430- NPT 45° 	350	1430-0402	6	1/4	7/16-20	1/8
		1430-0404	6	1/4	7/16-20	1/4
		1430-0406	6	1/4	7/16-20	3/8
		1430-0408	6	1/4	7/16-20	1/2
		1430-0502	8	5/16	1/2-20	1/8
		1430-0504	8	5/16	1/2-20	1/4
		1430-0602	10	3/8	9/16-18	1/8
		1430-0604	10	3/8	9/16-18	1/4
		1430-0606	10	3/8	9/16-18	3/8
		1430-0608	10	3/8	9/16-18	1/2
		1430-0804	12	1/2	3/4-16	1/4
		1430-0806	12	1/2	3/4-16	3/8
		1430-0808	12	1/2	3/4-16	1/2
		1430-0812	12	1/2	3/4-16	3/4
		1430-1006	14-15-16	5/8	7/8-14	3/8
		1430-1008	14-15-16	5/8	7/8-14	1/2
		1430-1012	14-15-16	5/8	7/8-14	3/4
		1430-1208	18-20	3/4	1.1/16-12	1/2
		1430-1212	18-20	3/4	1.1/16-12	3/4
	290	1430-1216	18-20	3/4	1.1/16-12	1
		1430-1612	25	1	1.5/16-12	3/4
		1430-1616	25	1	1.5/16-12	1
		1430-1620	25	1	1.5/16-12	1.1/4
		1430-2016	30-32	1.1/4	1.5/8-12	1
	240	1430-2020	30-32	1.1/4	1.5/8-12	1.1/4
		1430-2024	30-32	1.1/4	1.5/8-12	1.1/2
		1430-2420	38	1.1/2	1.7/8-12	1.1/4
		1430-2424	38	1.1/2	1.7/8-12	1.1/2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	G-P [NPT]
			[mm]	[inch]		
1250- NPT run tee 	350	1250-040402	6	1/4	7/16-20	1/8
		1250-040404	6	1/4	7/16-20	1/4
		1250-050502	8	5/16	1/2-20	1/8
		1250-050504	8	5/16	1/2-20	1/4
		1250-060602	10	3/8	9/16-18	1/8
		1250-060604	10	3/8	9/16-18	1/4
		1250-060606	10	3/8	9/16-18	3/8
		1250-060608	10	3/8	9/16-18	1/2
		1250-080804	12	1/2	3/4-16	1/4
		1250-080806	12	1/2	3/4-16	3/8
		1250-080808	12	1/2	3/4-16	1/2
		1250-080812	12	1/2	3/4-16	3/4
		1250-101006	14-15-16	5/8	7/8-14	3/8
		1250-101008	14-15-16	5/8	7/8-14	1/2
		1250-101012	14-15-16	5/8	7/8-14	3/4
		1250-121208	18-20	3/4	1.1/16-12	1/2
		1250-121212	18-20	3/4	1.1/16-12	3/4
	290	1250-161612	25	1	1.5/16-12	3/4
		1250-161616	25	1	1.5/16-12	1
	240	1250-202016	30-32	1.1/4	1.5/8-12	1
		1250-202020	30-32	1.1/4	1.5/8-12	1.1/4
		1250-242424	38	1.1/2	1.7/8-12	1.1/2

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	G [BSP]
			[mm]	[inch]		
6820- BSP Adjustable Branch tee 	350	6820-040402	6	1/4	7/16-20	1/8
	315	6820-040404	6	1/4	7/16-20	1/4
	250	6820-040406	6	1/4	7/16-20	1/4
		6820-040408	6	1/4	7/16-20	1/2
	350	6820-050502	8	5/16	1/2-20	1/8
	315	6820-050504	8	5/16	1/2-20	1/4
		6820-050506	8	5/16	1/2-20	3/8
		6820-060604	10	3/8	9/16-18	1/4
		6820-060606	10	3/8	9/16-18	3/8
	250	6820-060608	10	3/8	9/16-18	1/2
	315	6820-080804	12	1/2	3/4-16	1/4
		6820-080806	12	1/2	3/4-16	3/8
	250	6820-080808	12	1/2	3/4-16	1/2
		6820-080812	12	1/2	3/4-16	3/4
		6820-101006	14-15-16	5/8	7/8-14	3/8
		6820-101008	14-15-16	5/8	7/8-14	1/2
		6820-101012	14-15-16	5/8	7/8-14	3/4
		6820-121208	18-20	3/4	1.1/16-12	1/2
		6820-121212	18-20	3/4	1.1/16-12	3/4
		6820-121216	18-20	3/4	1.1/16-12	1
	200	6820-161612	25	1	1.5/16-12	3/4
		6820-161616	25	1	1.5/16-12	1
		6820-161620	25	1	1.5/16-12	1.1/4
		6820-202016	30-32	1.1/4	1.5/8-12	1
		6820-202020	30-32	1.1/4	1.5/8-12	1.1/4
	160	6820-242420	38	1.1/2	17/8-12	1.1/4
		6820-242424	38	1.1/2	1.7/8-12	1.1/2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	G [BSP]
			[mm]	[inch]		
6810- BSP Adjustable Run tee 	350	6810-040204	6	1/4	7/16-20	1/8
	315	6810-040404	6	1/4	7/16-20	1/4
	250	6810-040604	6	1/4	7/16-20	3/8
		6810-040804	6	1/4	7/16-20	1/2
	350	6810-050205	8	5/16	1/2-20	1/8
	315	6810-050405	8	5/16	1/2-20	1/4
		6810-050605	8	5/16	1/2-20	3/8
		6810-060406	10	3/8	9/16-18	1/4
		6810-060606	10	3/8	9/16-18	3/8
	250	6810-060806	10	3/8	9/16-18	1/2
	315	6810-080408	12	1/2	3/4-16	1/4
		6810-080608	12	1/2	3/4-16	3/8
	250	6810-080808	12	1/2	3/4-16	1/2
		6810-081208	12	1/2	3/4-16	3/4
		6810-100610	14-15-16	5/8	7/8-14	3/8
		6810-100810	14-15-16	5/8	7/8-14	1/2
		6810-101210	14-15-16	5/8	7/8-14	3/4
		6810-120812	18-20	3/4	1.1/16-12	1/2
		6810-121212	18-20	3/4	1.1/16-12	3/4
		6810-121612	18-20	3/4	1.1/16-12	1
	200	6810-161216	25	1	1.5/16-12	3/4
		6810-161616	25	1	1.5/16-12	1
		6810-162016	25	1	1.5/16-12	1.1/4
		6810-201620	30-32	1.1/4	1.5/8-12	1
		6810-202020	30-32	1.1/4	1.5/8-12	1.1/4
	160	6810-242024	38	1.1/2	1.7/8-12	1.1/4
		6810-242424	38	1.1/2	1.7/8-12	1.1/2

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	W [UN-UNF]
			[mm]	[inch]		
1820- UNF Adjustable Branch Tee 	400	1820-040404	6	1/4	7/16-20	7/16-20
		1820-040504	6	1/4	7/16-20	1/2-20
	350	1820-040604	6	1/4	7/16-20	9/16-18
	400	1820-050505	8	5/16	1/2-20	1/2-20
		1820-060606	10	3/8	9/16-18	9/16-18
	350	1820-060806	10	3/8	9/16-18	3/4-16
		1820-061006	10	3/8	9/16-18	7/8-14
		1820-080808	12	1/2	3/4-16	3/4-16
		1820-081208	12	1/2	3/4-16	11/16-12
		1820-100810	14-15-16	5/8	7/8-14	3/4-16
		1820-101010	14-15-16	5/8	7/8-14	7/8-14
		1820-101210	14-15-16	5/8	7/8-14	11/16-12
		1820-120812	18-20	3/4	1.1/16-12	3/4-16
		1820-121012	18-20	3/4	1.1/16-12	7/8-14
		1820-121212	18-20	3/4	1.1/16-12	11/16-12
	290	1820-161216	25	1	1.5/16-12	11/16-12
		1820-161616	25	1	1.5/16-12	15/16-12
		1820-202020	30-32	1.1/4	1.5/8-12	15/8-12
	240	1820-242424	38	1.1/2	1.7/8-12	17/8-12


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	M [mm]
			[mm]	[inch]		
4820- Metric Adjustable Branch Tee 	350	4820-041004	6	1/4	7/16-20	10x1
	315	4820-041204	6	1/4	7/16-20	12x1.5
	350	4820-051005	8	5/16	1/2-20	10x1
		4820-051205	8	5/16	1/2-20	12x1.5
	315	4820-051405	8	5/16	1/2-20	14x1.5
		4820-061406	10	3/8	9/16-18	14x1.5
		4820-061606	10	3/8	9/16-18	16x1.5
		4820-081608	12	1/2	3/4-16	16x1.5
		4820-081808	12	1/2	3/4-16	18x1.5
	250	4820-101810	14-15-16	5/8	7/8-14	18x1.5
		4820-102010	14-15-16	5/8	7/8-14	20x1.5
		4820-102210	14-15-16	5/8	7/8-14	22x1.5
		4820-122212	18-20	3/4	1.1/16-12	22x1.5
		4820-122712	18-20	3/4	1.1/16-12	27x2
		4820-162716	25	1	1.5/16-12	27x2
	200	4820-163316	25	1	1.5/16-12	33x2
		4820-204220	30-32	1.1/4	1.5/8-12	42x2
	160	4820-244824	38	1.1/2	1.7/8-12	48x2

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2



description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37°	W
			[mm]	[inch]	[UN-UNF]	[UN-UNF]
1810- UNF Adjustable Run Tee 	400	1810-040404	6	1/4	7/16-20	7/16-20
		1810-040504	6	1/4	7/16-20	1/2-20
	350	1810-040604	6	1/4	7/16-20	9/16-18
	400	1810-050505	8	5/16	1/2-20	1/2-20
	350	1810-060605	10	3/8	9/16-18	1/2-20
		1810-060806	10	3/8	9/16-18	3/4-16
		1810-080808	12	1/2	3/4-16	3/4-16
		1810-081008	12	1/2	3/4-16	7/8-14
		1810-081208	12	1/2	3/4-16	1 1/16-12
		1810-100810	14-15-16	5/8	7/8-14	3/4-16
		1810-101010	14-15-16	5/8	7/8-14	7/8-14
		1810-101210	14-15-16	5/8	7/8-14	1 1/16-12
		1810-120812	18-20	3/4	1 1/16-12	3/4-16
		1810-121012	18-20	3/4	1 1/16-12	7/8-14
		1810-121212	18-20	3/4	1 1/16-12	1 1/16-12
	290	1810-161616	25	1	1.5/16-12	15/16-12
		1810-161216	25	1	1.5/16-12	11/16-12
	240	1810-202020	30-32	1.1/4	1.5/8-12	15/8-12
		1810-242424	38	1.1/2	1.7/8-12	17/8-12


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37°	M
			[mm]	[inch]	[UN-UNF]	[mm]
4810- Metric Adjustable Run Tee 	350	4810-041004	6	1/4	7/16-20	10x1
	315	4810-041204	6	1/4	7/16-20	12x1.5
	350	4810-051005	8	5/16	1/2-20	10x1
	315	4810-051205	8	5/16	1/2-20	12x1.5
		4810-061406	10	3/8	9/16-18	14x1.5
		4810-061606	10	3/8	9/16-18	16x1.5
		4810-081608	12	1/2	3/4-16	16x1.5
		4810-081808	12	1/2	3/4-16	18x1.5
	250	4810-101810	14-15-16	5/8	7/8-14	18x1.5
		4810-102010	14-15-16	5/8	7/8-14	20x1.5
		4810-102210	14-15-16	5/8	7/8-14	22x1.5
		4810-122212	18-20	3/4	1 1/16-12	22x1.5
		4810-122712	18-20	3/4	1 1/16-12	27x2
	200	4810-162716	25	1	1.5/16-12	27x2
		4810-163316	25	1	1.5/16-12	33x2
		4810-204220	30-32	1.1/4	1.5/8-12	42x2
	160	4810-244824	38	1.1/2	1.7/8-12	48x2

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2


description	Part No (carbon steel)	Tube O.D.		Thread Size	
		[mm]	[Inch]	UNF1	UNF2
5020-JIC Male-Female Swivel Reducer  	5020-0504	8 x 6	5/16" x 1/4"	1/2"-20	7/16"-20
	5020-0604	10 x 6	3/8" x 1/4"	9/16"-18	7/16"-20
	5020-0605	10 x 8	3/8" x 5/16"	9/16"-18	1/2"-20
	5020-0804	12 x 6	1/2" x 1/4"	3/4"-16	7/16"-20
	5020-0805	12 x 8	1/2" x 5/16"	3/4"-16	1/2"-20
	5020-0806	12 x 10	1/2" x 3/8"	3/4"-16	9/16"-18
	5020-1004	14-15-16 x 6	5/8" x 1/4"	7/8"-14	7/16"-20
	5020-1005	14-15-16 x 8	5/8" x 5/16"	7/8"-14	1/2"-20
	5020-1006	14-15-16 x 10	5/8" x 3/8"	7/8"-14	9/16"-18
	5020-1008	14-15-16 x 12	5/8" x 1/2"	7/8"-14	3/4"-16
	5020-1204	18-20 x 6	3/4" x 1/2"	1.1/16"-12	7/16"-20
	5020-1205	18-20 x 8	3/4" x 5/16"	1.1/16"-12	1/2"-20
	5020-1206	18-20 x 10	3/4" x 3/8"	1.1/16"-12	9/16"-18
	5020-1208	18-20 x 12	3/4" x 1/4"	1.1/16"-12	3/4"-16
	5020-1210	18-20 x 14-15-16	3/4" x 5/8"	1.1/16"-12	7/8"-14
	5020-1606	25 x 10	1" x 3/8"	1.5/16"-12	9/16"-18
	5020-1608	25 x 12	1" x 1/2"	1.5/16"-12	3/4"-16
	5020-1610	25 x 14-15-16	1 x 5/8"	1.5/16"-12	7/8"-14
	5020-1612	25 x 18-20	1" x 3/4"	1.5/16"-12	1.1/16"-12
	5020-2008	30-32 x 12	1 1/4" x 1/2"	1.5/8"-12	3/4"-16
	5020-2010	30-32 x 14-15-16	1 1/4" x 5/8"	1.5/8"-12	1.7/8"-14
	5020-2012	30-32 x 18-20	1 1/4" x 3/4"	1.5/8"-12	1.1/16"-12
	5020-2016	30-32 x 25	1 1/4" x 1"	1.5/8"-12	1.5/16"-12
	5020-2408	38 x 12	1 1/2" x 1/2"	1.7/8"-12	3/4"-16
	5020-2410	38 x 14-15-16	1 1/2" x 5/8"	1.7/8"-12	7/8"-14
	5020-2412	38 x 18-20	1 1/2" x 3/4"	1.7/8"-12	1.1/16"-12
	5020-2416	38 x 25	1 1/2" x 1"	1.7/8"-12	1.5/16"-12
	5020-2420	38 x 30-32	1 1/2" x 1 1/4"	1.7/8"-12	1.5/8"-12


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	[BSP] G
			[mm]	[inch]		
800- JIC female-BSP female 	350	800-0404	6	1/4	7/16-20	1/4
		800-0504	8	5/16	1/2-20	1/4
		800-0604	10	3/8	9/16-18	1/4
		800-0804	12	1/2	3/4-16	1/4
		800-1004	14-15-16	5/8	7/8-14	1/4
		800-1204	18-20	3/4	1.1/16-12	1/4
	290	800-1604	25	1	1.5/16-12	1/4
	240	800-2004	30-32	1.1/4	1.5/8-12	1/4
		800-2004	38	1.1/2	1.7/8-12	1/4


Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2

description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]	[BSP] G
			[mm]	[inch]		
1630- Gauge connector 	350	1630-0404	6	1/4	7/16-20	1/4
		1630-0504	8	5/16	1/2-20	1/4
		1630-0604	10	3/8	9/16-18	1/4
		1630-0804	12	1/2	3/4-16	1/4
		1630-0408	6	1/4	7/16-20	1/2
		1630-0508	8	5/16	1/2-20	1/2
		1630-0608	10	3/8	9/16-18	1/2
		1630-0008	12	1/2	3/4-16	1/2


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
900- Cap, female thread 	450	900-04	6	1/4	7/16-20
		900-05	8	5/16	1/2-20
	350	900-06	10	3/8	9/16-18
		900-08	12	1/2	3/4-16
		900-10	14-15-16	5/8	7/8-14
		900-12	18-20	3/4	1.1/16-12
	290	900-16	25	1	1.5/16-12
	240	900-20	30-32	1.1/4	1.5/8-12
		900-24	38	1.1/2	1.7/8-12


description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC 37° [UN-UNF]
			[mm]	[inch]	
5010- Plug, male thread 	450	5010-04	6	1/4	7/16-20
		5010-05	8	5/16	1/2-20
	350	5010-06	10	3/8	9/16-18
		5010-08	12	1/2	3/4-16
		5010-10	14-15-16	5/8	7/8-14
		5010-12	18-20	3/4	1.1/16-12
	290	5010-16	25	1	1.5/16-12
	240	5010-20	30-32	1.1/4	1.5/8-12
		5010-24	38	1.1/2	1.7/8-12

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

JIC ADAPTORS SAE J514 - ISO 8434-2

description	press. [bar]	Part.no	pipe O.D.	
			[mm]	[inch]
500- Sleeve 	450	500-06	6	
		500-1/4"		1/4
		500-08	8	
	350			5/16
		500-10	10	
		500-3/8"		3/8
		500-12	12	
		500-1/2"		1/2
		500-16	16	
				5/8
		500-20	20	
		500-3/4"		3/4
	290	500-25	25	
	240	500-1"		1
		500-30	30	
		500-1.1/4"		1.1/4
		500-38	38	
				1.1/2
	350	500-14	14	
		500-15	15	
		500-18	18	

description	press. [bar]	Part.no (carbon steel)	pipe O.D.		JIC [UN-UNF]
			[mm]	[inch]	
200- Nut 	450	200-04	6	1/4	7/16-20
		200-05	8	5/16	1/2-20
	350	200-06	10	3/8	9/16-18
		200-08	12	1/2	3/4-16
		200-10	14-15-16	5/8	7/8-14
		200-12	18-20	3/4	1.1/16-12
	290	200-16	25	1	1.5/16-12
	240	200-20	30-32	1.1/4	1.5/8-12
		200-24	38	1.1/2	1.7/8-12

Note:

Available in both mild steel and stainless steel, for stainless steel add -316 to the part.no (1010-0606-316)

